



Atipro Acoustics

PRODUCT CATALOGUE

About Us

ATI Pro Acoustics –Engineered for Excellence, Built for Professionals

At **ATI Pro Acoustics**, sound is our passion — and precision is our promise. Introduced with a vision to redefine professional audio in India and beyond, ATI Pro has grown into a trusted name in the industry, known for delivering powerful, reliable, and innovative installation solutions.

Headquartered in New Delhi, ATI Pro is a leading manufacturer and distributor of professional sound systems, catering to the diverse needs of live sound, studio setups, houses of worship, educational institutions, event venues, and more.

With a deep understanding of acoustics, engineering, and evolving industry demands, we offer a wide range of products that combine cutting-edge technology with robust construction — designed to perform in the most demanding indoor & outdoor environments.

Each product is built with quality, durability, and performance in mind — and undergoes rigorous testing to meet the highest industry standards.



ATI PRO TECHNOLOGIES

INDIA'S LEADING PRO AUDIO AND LIGHTING COMPANY

45+

YEARS OF EXCELLENCE

- **EXCELLENT AFTER SALES SERVICE RECORD** • **AFFORDABLE PRICING WITH QUALITY**
- **MORE THAN 1 MILLION SATISFIED CUSTOMERS**



ATI Pro, under ATI Pro Technologies, excels in pro audio with innovative "Technology Tree" technologies, offering versatile, advanced solutions that redefine industry standards.



ATI Pro, the flagship brand of ATI Pro Technologies, delivers premium lighting solutions with "Technology Sun" innovations, ensuring exceptional performance, versatility, and professional reliability.



Our premium class lighting brand to gives exceptional performance with high quality USA made components.



Designed to provide a clean, regulated AC power supply to electronic audio equipment in environments with unreliable, fluctuating mains supply.



Gives largest range of stage effect products.



Yogi Pro, part of ATI Pro Technologies, offers high-quality, cost-effective audio products, leveraging advanced research sound clarity and value.



Audioflix, a sub-brand of ATI Pro Technologies, is India's most affordable imported audio brand, offering premium amplifiers, speakers, and more with exceptional performance.



Delivers exceptional and high end home and commercial install series products.



GLabs, a premium sub-brand of ATI Pro Technologies, offers super-premium high-fidelity audio products, delivering unmatched sound clarity and immersive experiences, crafted exclusively for discerning music enthusiasts and audiophiles.

We don't follow trends -we create them. One company, 9 powerful brands with 1000+ products.

PRO AUDIO & INSTALLATION



PRO LIGHTING & STAGE SOLUTION



Corporate Office: 527, Patparganj Industrial Area, Patparganj, Delhi-110092, (India)

Head Office: 1606, Diwan Hall (near moti cinema), Chandni chowk, New Delhi-110006, (India)

✉ info@atipro.in

🌐 www.atipro.in

☎ 78271-18727



/ atiprotech

01

CEILING SPEAKER

Page no. 1-10



02

WALL MOUNT SPEAKER

Page no. 11-18



03

ROCK SPEAKER

Page no. 19-20



04

HORN SPEAKER

Page no. 21-24



05

PARTY BOX

Page no. 25



06

VOLUME CONTROLLER

Page no. 26-27



07

WALL AMPLIFIER

Page no. 28-29



CEILING SPEAKER




AtiproAcoustics



Model	ATI – CS – 606
Power at 100 V	3 / 6 W
Power at 70 V	1.5 / 3 W
Freq. Response	100 Hz-18kHz
Cutout Size	Dia 170 mm
Product Size	Dia 185 * 75 mm (H)
Installation	In Ceiling
Enclosure Material	ABS
Weight	0.7 Kg
Speakers	6 * 1 full range



Model	ATI – CS – 606 LMT
Power at 100 V	3 / 6 W
Power at 70 V	1.5 / 3 W
Freq. Response	100 Hz-18kHz
Cutout Size	Dia 170 mm
Product Size	Dia 185 * 75 mm (H)
Installation	In Ceiling
Enclosure Material	ABS
Weight	0.7 Kg
Speakers	6 * 1 full range



With tweeter

Model	ATI – CS – 620 LMT
Power at 100 V	7.5 / 15 W
Power Peak	20 W at 8 ohms
Freq. Response	65 Hz-20kHz
Cutout Size	Dia 170 mm
Product Size	Dia 185 * 75 mm (H)
Installation	In Ceiling
Enclosure Material	ABS
Weight	1 Kg
Speakers	1" * 1 (Treble) 6" * 1 (Bass)



Coaxial

Model	ATI – CS – 520 LT
Power at 100 V	5 / 10 / 20 W
Power at 70 V	2.5 / 5 / 10 W
Power Peak	40 W at 8 ohms
Freq. Response	80 Hz-20kHz
Cutout Size	Dia 180 mm
Product Size	Dia 205 * 85 mm (H)
Enclosure Material	ABS
Weight	1.3 Kg
Color	White
Speakers	5" Coaxial



With tweeter

Model	ATI – CS – 540
Rated Power	40 W
Impedance	8 ohms
Freq. Response	80 Hz-20kHz
Product Size	Dia 205 * 85 mm
Installation	In Ceiling
Enclosure Material	ABS
Weight	1.3 Kg
Color	White
Speakers	1" * 1 (Treble) 5" * 1 (Bass)



With tweeter

Model	ATI – CS – 660
Rated Power	60 W
Impedance	8 ohms
Freq. Response	50 Hz-20kHz
Product Size	Dia 235 * 90 mm
Installation	In Ceiling
Enclosure Material	ABS
Weight	1.8 Kg
Color	White
Speakers	1" * 1 (Treble) 6" * 1 (Bass)



Coaxial

Model	ATI – CS – 630 LT
Power at 100 V	7.5 / 15 / 30 W
Power at 70 V	3.8 / 7.5 / 15 W
Power Peak	60 W at 8 ohms
Freq. Response	50 Hz-20kHz
Cutout Size	Dia 205 mm
Product Size	Dia 235 * 90 mm (H)
Installation	In Ceiling
Weight	1.8 Kg
Speakers	6" Coaxial




Model	ATI – CS – 320 H
Power RMS	20 W * 2
Power Peak	40 W
Freq. Response	100 Hz-20kHz
Cutout Size	Dia 190 mm
Product Size	Dia 223 * 85 mm (H)
Installation	In Ceiling
Enclosure Material	ABS
Weight	1.4 Kg
Speakers	1" * 2 (TREBLE) 3.5" * 1 (BASS) 1 * Passive Radiator



Model	ATI – CS – 320 B
Power RMS	20 W * 2
Power Peak	40 W
Freq. Response	100 Hz-20kHz
Cutout Size	Dia 190 mm
Product Size	Dia 223 * 85 mm (H)
Installation	In Ceiling
Enclosure Material	ABS
Weight	1.4 Kg
Speakers	1" * 2 (TREBLE) 3.5" * 1 (BASS) 1 * Passive Radiator

WALL MOUNT SPEAKER





Model	ATI – WP – 515 TB / ATI – WP – 515 TW
Power at 100 V	15 W
Power at 8 ohms	15 W
Max. Power	20 W
Product Size	246 * 154 * 120 mm
Installation	Wall mounted
Enclosure Material	ABS, metal mesh
Weight	1.2 Kg
Color	White / Black
Speaker Size	5" woofer + 1" tweeter



Model	ATI – WP – 515 T2B / ATI – WP – 515 T2W
Power at 100 V	7.5 / 15 W
Power at 8 ohms	15 W
Installation	Wall mounted
Enclosure Material	ABS
Weight	1.5 Kg
Color	White / Black
Installation	Wall mounted
Speaker Size	5.25" woofer + 1" tweeter



Model	ATI – WS – 530 W / ATI – WS – 530 B
Power at 100 V	7.5 W / 15 W / 30 W / OFF / 8Ω
Power at 70 V	3.75 W / 7.5 W / 15 W / OFF / 8Ω
Freq. Response	70 Hz – 20 kHz
Product Size	185 * 167 * 250 mm
Installation	Wall mounted
Enclosure Material	ABS
Weight	2.5 Kg
Color	White / Black
Speaker Size	5" woofer + 1" tweeter



Model	ATI – WP – 540 W / ATI – WP – 540 B
Power at 100 V	10 / 20 / 40 W; 40 W @ 8 ohms
Power at 70 V	5 / 10 / 20 W; 40 W @ 8 ohms
Freq. Response	60 Hz - 18KHz
Dispersion Angel	90 * 80 degree
Installation	Wall mounted
Enclosure Material	ABS
Weight	3.4 Kg
Color	White / Black
Speaker Size	1" * 1 (TREBLE) 5" * 1 (BASS)



Model	ATI – WSP – 6 TFW / ATI – WSP – 6 TFB
Power at 100 V	15 W / 30 W
Power at 70 V	7.5 W / 15 W
Power at 8 ohms	30 W
Freq. Response	65 Hz – 20 kHz
Product Size	185 * 180 * 280 mm
Installation	Wall mounted
Enclosure Material	ABS
Color	White / Black
Speaker Size	6" woofer + 0.75" tweeter




Model	ATI – WIP – 540 RW / ATI – WIP – 540 RB
Power at 100 V	2.5 / 5 / 10 W / 20 W; 40 W @ 8 ohms
Power at 70 V	1.25 / 2.5 / 5 W / 10 W; 40 W @ 8 ohms
Freq. Response	100 Hz - 20KHz
Dispersion Angel	90 * 80 degree
Installation	Wall mounted
Enclosure Material	ABS
Weight	3 Kg
Color	White / Black
Speaker Size	1" * 1 (TREBLE) 5" * 1 (BASS)



Model	ATI – WIP – 880 RW / ATI – WIP – 880 RB
Power at 100 V	6.25 / 12.5 / 25 W / 50 W; 80 W @ 8 ohms
Power at 70 V	3.25 / 6.25 / 12.5 W / 25 W; 80 W @ 8 ohms
Freq. Response	70 Hz - 20KHz
Dispersion Angel	90 * 80 degree
Installation	Wall mounted
Enclosure Material	ABS
Weight	4.5 Kg
Color	White / Black
Speaker Size	1" * 1 (TREBLE) 8" * 1 (WOOFER)

ROCK SPEAKER





Model	ATI - NATURE 4	ATI - NATURE 6	ATI - NATURE 8
Power at 100V	5 / 10 W	15 / 30 W	20 / 40 W
Sensitivity	88 dB	89 dB	90 dB
Frequency Response	125Hz - 18kHz	120Hz - 18kHz	115Hz - 18kHz
Speaker Size	4" full range	6.5" coaxial	8" woofer + 2" tweeters
Product Size	270 * 230 * 220 mm	350 * 310 * 290 mm	440 * 370 * 370 mm
Net Weight	2.7kg	3.3kg	7.1kg

HORN SPEAKER






Model	ATI - HN 15 T	ATI - HN 30 T	ATI - HN 50 T
Power at 100 V	3 / 5 / 10 / 15 W	3 / 5 / 10 / 15 / 30 W	7.5 / 15 / 30 / 50 W
Power at 70 V	1.5 / 2.5 / 5 / 7.5 W	1.5 / 2.5 / 5 / 7.5 / 15 W	3.8 / 7.5 / 12.5 / 25 W
Power at 8 ohms	15 W	30 W	50 W
Freq. Response	400 Hz – 6 kHz	400 Hz – 7 kHz	160 Hz – 8 kHz
Product Size	Dia 217 * 238 mm	Dia 305 * 350 mm	Dia 500 * 470 mm
Installation	Bracket	Bracket	Bracket



Model	ATI – HS 67 Q	ATI – HS 68 Q
Power at 100V	7.5 / 15 W	15 / 30 W
Power at 70V	3.75/7.5W	7.5 / 15 W
Power at 8 ohms	15 W	30 W
Freq. Response	400 Hz – 5 kHz	400 Hz - 5 kHz
Dispersion Angel	230 degrees	230 degrees
Product Size	222 x 162 x 232 mm	285 x 205 x 290 mm
Installation	Bracket mount	Bracket mount
Enclosure Material	ABS	ABS
Weight	1.36 Kg	2.2 Kg




Model	ATI – RC – 150 T
Power at 100V	18.5 / 37.5 / 75 / 150 W
Power at 70V	9.5 / 18.5 / 37.5 / 75
Power at 8 ohms	150 W
Freq. Response	80 Hz – 18 kHz
Dispersion Angel	90 – 100 degrees
Product Size	345 x 355 x 297 mm
Installation	Bracket mount
Weight	11 Kg
Speaker	10" * 1 (Bass), 3" * 1 (Treble)



Model	ATI – PT – 880 BE
Output Power	Low – 120 W, Hi – 60 W
Crossover	DSP electronic crossover, 2 ways
Frequency Response	60 Hz – 20 kHz
Battery	9000 mAh
Charging Time	4.5 H
Charging Port	DC 18 V / 2 A
Audio Source	Bluetooth / USB / MIC IN / GUITAR IN
Speaker Driver	8" Woofer * 1, Tweeter * 3
Microphone	1 * Wireless Microphone Included

VOLUME CONTROLLER





Model	ATI – VC 50 M / MG
Signal Input	4 – 8 ohms
Volume Control	5 Levels
Colour	Gold / White
Dimension	86 * 86 * 42 mm
Net Weight	0.25 kg
Accessories	Screw * 2
Installation	Wall Box
Power	25 W at 8 ohms
Standard	Europe and China

WALL AMPLIFIER





Model	ATI-WA-225 LTC	ATI-WA-425LTC	ATI-WA-225 TC	ATI-WA-425 TC
Output Power	2 * 25 W	4 * 25 W	2 * 25 W	4 * 25 W
Speaker Impedance	4 / 8 ohms	4 / 8 ohms	4 / 8 ohms	4 / 8 ohms
Expand TF Card Memory	32 GB	32 GB	32 GB	32 GB
Display	2.8-inch LCD	2.8-inch LCD	4-inch capacitive touch screen	4-inch capacitive touch screen
Resolution	480 * 480 IPS	480 * 480 IPS	480 * 480 IPS	480 * 480 IPS
Sound Effect	-	-	Ordinary, rock, classical, jazz, pop, etc.	Ordinary, rock, classical, jazz, pop, etc.
Music Format	Mp3, WMA, WAV, AAC, FL AC, WAW, APE, etc.	Mp3, WMA, WAV, AAC, FL AC, WAW, APE, etc.	Mp3, WMA, WAV, AAC, FL AC, WAW, APE, etc.	Mp3, WMA, WAV, AAC, FL AC, WAW, APE, etc.
Video Format	MPEG-1/2/3/4, RM/RMVB, WMV, MOV, MK, VOB, AVI, 3GP, H, 264, etc.	MPEG-1/2/3/4, RM/RMVB, WMV, MOV, MK, VOB, AVI, 3GP, H, 264, etc.	MPEG-1/2/3/4, RM/RMVB, WMV, MOV, MK, VOB, AVI, 3GP, H, 264, etc.	MPEG-1/2/3/4, RM/RMVB, WMV, MOV, MK, VOB, AVI, 3GP, H, 264, etc.
Photo Format	JPEG, BMP, GIF, PNG etc.	JPEG, BMP, GIF, PNG etc.	JPEG, BMP, GIF, PNG etc.	JPEG, BMP, GIF, PNG etc.

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Witness the era of technology

More Power: Enhanced Performance

DIRECTING BUSINESS PHILOSOPHY
RISK CONDUCT MISSION
GROUP COLLABORATION
SKILLS TRAINING
STRENGTH TEAM LEADERSHIP
DELEGATING MANAGEMENT COMMITMENT SOLUTION
INNOVATION MOTIVATION

ATI PRO TECHNOLOGIES

MEMBER ABILITY
RESPECT ASSESSMENT
GOAL TRUST
VISION COMMERCE
PEOPLE COACHING
DISCIPLINE COMPETENCE
POWER TEAMWORK SUCCESS

Corporate Office: 527, Patparganj Industrial Area, Patparganj, Delhi-110092, (India)

Head Office: 1606, Diwan Hall (near moti cinema), Chandni chowk, New Delhi-110006, (India)